


# XAG R150 2020

## Technical Specifications

Version AU V1.0


EN



**XAG**  
AUSTRALIA

# TECHNICAL SPECIFICATIONS


---



## Unmanned Ground Vehicle

Product Model	R150 Agricultural Unmanned Vehicle (R150)
Overall dimensions	1515×1090×1105mm
Net weight	200kg
Rated load	150kg
Motor quantity	2
Rated power of single motor	1.5kW
Rated speed of motor	70r/min
Maximum drive speed	1.4m/s
Power battery	B13860S smart battery
Single batter capacity	865.8Wh
Upslope angle	≤ 15°
Downslope angle	≤ 15°
Protection grade	IP54

# Jet Sprayer



## Basic parameters

Atomization range 60~200μm

Maximum spray width 12m

## Peristaltic pump with high pulse frequency

Maximum system flow rate 4.8L/min

Maximum flow rate (single pump) 2.4L/min

## High-pressure atomization motor

Maximum rotate speed 85000rpm

Outlet air speed 160m/s

## Automatic liquid container

Rated capacity 100L

Material Plastic (LLDPE)

## Booster fan

Maximum rotate speed 9000rpm

Outlet air speed 16m/s



---

Copyright©2022 XAG Australia All Rights Reserved

The copyright of all information in this user manual (including but not limited to any text description, illustrations, photos, methods, processes, etc.) belongs to XAG Australia and is protected by copyright law. No individual or organization may imitate, extract, translate, distribute or reproduce or quote all the contents of this manual without any written authorization.